

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	937	(hous\$4 or pack\$4 or body) and lens and laser and hollow and (adjust\$4 with angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:12
S9	484	S7 and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:16
S8	106	S6 and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:16
S5	143	S3 and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:16
S3	842	(hous\$4 or pack\$4 or body) and (lens same laser same (hollow or hole or cavity or void or cacuity)) and (adjust\$4 with angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:16
S7	2005	(hous\$4 or pack\$4 or body) and (lens same laser same (hollow or hole or cavity or void or cacuity)) and (adjust\$4 with laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:17
S12	2	"20050123010"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:22
S14	961	(hous\$4 or pack\$4 or body) and (lens same laser same (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:23
S13	2	(hous\$4 or pack\$4 or body) and (lens and (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) same laser) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:23
S4	23	(hous\$4 or pack\$4 or body) and (lens same laser same (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:23
S2	3638	(hous\$4 or pack\$4 or body) and lens and laser and (hollow or hole or cavity or void or cacuity) and (adjust\$4 with angle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:23

S18	8439	(hous\$4 or pack\$4 or body) and (lens and (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:25
S17	11952	(hous\$4 or pack\$4 or body) and (lens and (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) same laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:25
S11	2355	(hous\$4 or pack\$4 or body) and (lens and (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) same laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:25
S10	1359	(hous\$4 or pack\$4 or body) and (lens and (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:25
S19	662	S16 and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:27
S16	2464	(hous\$4 or pack\$4 or body) and (lens same laser same (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:27
S15	223	S14 and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:27
S20	482	(hous\$4 or pack\$4 or body) and (lens same laser same (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser) and angle and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:35
S22	6	((("5,905,751") or ("5,844,257") or ("6,485,271"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/27 10:40
S24	8	((Wu near2 Sheng near2 Ching) or (Lin near2 Ching near2 Hui) or (Huang near2 Chao near1 Chi)) and ("372"/\$.ccls. or "257"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:43
S25	12	("4498737" "4923281" "5111476" "5381438" "5408493" "5561684" "5838703").PN. OR ("5905751").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/27 10:44
S26	10	("4965532" "5001649" "5195155" "5210650" "5421829" "5425704" "5694373" "5905751").PN. OR ("6351483").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/27 10:48

S21	45	(hous\$4 or pack\$4 or body) and (lens same laser same (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 10:49
S27	37	(hous\$4 or pack\$4 or body) and (lens same laser same (cavity or hollow or void or cacuity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 12:52
S28	19	(hous\$4 or pack\$4 or body) and ((lens same laser same (cavity or hollow or void or cacuity)) same ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 12:53
S29	37	(hous\$4 or pack\$4 or body) and ((lens same laser same (cavity or hollow or void or cavity)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 12:59
S33	1095	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)) and angle and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:00
S32	6846	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:00
S31	1818	(hous\$4 or pack\$4 or body) and ((lens same laser same (cavity or hollow or void or cavity or space)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:00
S30	42	(hous\$4 or pack\$4 or body) and ((lens same laser same (cavity or hollow or void or cavity or space)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:00
S34	69	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and ((adjust\$4 or tun\$4 or fix or regulat\$4) with laser)) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:05
S39	54	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and (adjust\$4 same (slot with laser))) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:06
S41	5428	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and ((adjust\$4 or slot) with laser)) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:07

S36	59	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and ((adjust\$4 or slot) with laser)) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:07
S43	133	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and adjust\$4 and slot) and angle and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:08
S42	5	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and (adjust\$4 with slot with laser)) and angle and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:08
S40	23	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and adjust\$4 and slot) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:08
S38	25	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and (adjust\$4 with slot with laser)) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:08
S37	1	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and (adjust\$4 with slot with laser)) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:08
S35	70	(hous\$4 or pack\$4 or body) and ((lens and laser and (cavity or hollow or void or cavity or space)) and ((adjust\$4 or tun\$4 or fix or regulat\$4 or slot) with laser)) and angle and "372"/107.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:09
S44	22	(adjust\$4 near4 device) and slot and laser and (convex near2 lens) and (cylindrical near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:40
S6	432	(hous\$4 or pack\$4 or body) and (lens same laser same (hollow or hole or cavity or void or cacuity)) and ((adjust\$4 ot tun\$4 or fix or regulat\$4) with laser)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:40
S46	14	(hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or cavity) and (adjust\$4 near4 device) and slot and laser and (convex near2 lens) and (cylindrical near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:41
S45	14	(hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or cavity) and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:41

S48	43	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (adjust\$4 with laser) and slot and laser and (convex near2 lens) and (cylindrical near2 lens))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:42
S47	39	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or cavity) and (adjust\$4 with laser) and slot and laser and (convex near2 lens) and (cylindrical near2 lens))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:42
S50	11	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (adjust\$4 same laser) and slot and laser and (convex near2 lens) and (cylindrical near2 lens) and "372"\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 13:43
S54	1103	((hous\$4 or pack\$4 or body) and (adjust\$4) and laser and (lens)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 14:31
S53	199	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (adjust\$4) and laser and (lens)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 14:31
S51	4	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (adjust\$4 same laser) and slot and laser and (convex near2 lens) and (cylindrical near2 lens) and bolt\$1 and screw\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 14:32
S55	11	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (adjust\$4 same laser) and (cylindrical near2 lens)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 14:43
S56	55	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (adjust\$4 same laser) and (cylindrical near2 lens)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 14:44
S57	4	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (second near4 adjust\$4 same laser) and slot and laser and (convex near2 lens) and (cylindrical near2 lens))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 14:48
S59	5987	(adjust\$4 with laser).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:03
S58	22	((hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (second near4 adjust\$4 same laser) and (slot or aperture or orifice or opening or vent) and laser and (convex near2 lens) and (cylindrical near2 lens))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:03

S61	1	(hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and ((adjust\$4 with laser)) and (slot or aperture or orifice or opening or vent) and laser and (convex near2 lens) and (cylindrical near2 lens) and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:06
S60	217	(hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and ((adjust\$4 with laser)) and (slot or aperture or orifice or opening or vent) and laser and (convex near2 lens) and (cylindrical near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:07
S64	9	(hollow or hole or cavity or void or space) and (adjust\$4 with laser) and (slot or aperture or orifice or opening or vent) and (convex near2 lens) and (cylindrical near2 lens) and bolt\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:08
S63	8	(hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (adjust\$4 with laser) and (slot or aperture or orifice or opening or vent) and (convex near2 lens) and (cylindrical near2 lens) and bolt\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:16
S65	4	(hous\$4 or pack\$4 or body) and (adjust\$4 near3 (device or apparatus) same laser) and (convex near2 lens) and (cylindrical near2 lens) and bolt\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:17
S67	2	S66 and slot and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:19
S69	2	(hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) near3 (device or apparatus) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and slot and bolt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:27
S68	63	(hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) near3 (device or apparatus) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:27
S49	59	(hous\$4 or pack\$4 or body) and (hollow or hole or cavity or void or space) and (adjust\$4 same laser) and slot and laser and (convex near2 lens) and (cylindrical near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:28
S71	161	(hous\$4 or pack\$4 or body) and (((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3) near4 (device or apparatus or module)) with laser) and (convex near2 lens) and (cylindrical near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:30
S70	742	(hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3) with laser) and (convex near2 lens) and (cylindrical near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:30

S73	4	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3) with laser) and (convex near2 lens) and (cylindrical near2 lens) and slot and bolt\$4 and screw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:31
S72	5	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3) with laser) and (convex near2 lens) and (cylindrical near2 lens) and slot and bolt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:45
S75	6	S74 and (convex near2 lens) and slot and bolt\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:47
S74	9426	((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (cylindrical near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:52
S77	12701	((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (lens)).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:53
S76	900	((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (cylindrical near2 lens)).AB.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 15:53
S78	35	((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (cylindrical near2 lens)).AB. and "372"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:07
S66	49	((hous\$4 or pack\$4 or body) and (adjust\$4 near3 (device or apparatus) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:07
S79	656	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (convex near2 lens) and (cylindrical near2 lens) and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:10
S80	42	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and slot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:20
S81	156	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and (slot or aperture or space)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:26

S83	108	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:34
S85	26	S84 not S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:36
S86	167	((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:46
S84	134	((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:46
S89	9	((second adj1 (adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4)) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:51
S88	9	((hous\$4 or pack\$4 or body) and ((second adj1 (adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4)) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:51
S87	139	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:58
S91	484	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 16:59
S92	409	S91 not S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 17:00
S82	73	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) with (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 17:00
S90	75	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same laser) and (convex near2 lens) and (cylindrical near2 lens) and angle and (bolt or screw) and ((adjust\$4 or alignment or modulat\$3 or modify\$3 or regulat\$3 or chang\$3 or adapt\$3 or alter\$3 or correct\$3 or tun\$4) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 17:06

S93	72	(hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and ((adjust\$4 or alignment) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 17:08
S94	69	(hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and ((adjust\$4 or alignment) same (slot or aperture or space)) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 17:37
S96	5	(hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and ((adjust\$4 or alignment) near2 (section or region or device)) same (slot or aperture or space))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 17:38
S98	2	(hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) with laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and (((adjust\$4 or alignment) near2 (section or region or device)) with (slot or aperture or space)) and ((adjust\$4 or alignment) with lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 17:39
S97	3	(hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) with laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and (((adjust\$4 or alignment) near2 (section or region or device)) same (slot or aperture or space)) and ((adjust\$4 or alignment) with lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 17:39
S10 0	19	(NISHIZAKI near2 MASASUKE) or (HOSOMI near2 YUKIHIRO) and laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 18:22
S99	12	("4498737" "4923281" "5111476" "5381438" "5408493" "5561684" "5838703").PN. OR ("5905751").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/27 18:22
S10 1	19	(NISHIZAKI near2 MASASUKE) or (HOSOMI near2 YUKIHIRO) and laser and (cylindrical near3 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 18:23
S10 3	19	(NISHIZAKI near2 MASASUKE) or (HOSOMI near2 YUKIHIRO) and laser and (cylindrical near3 lens) and (adjust\$4 or alignment) and (convex near3 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 18:24
S10 2	19	(NISHIZAKI near2 MASASUKE) or (HOSOMI near2 YUKIHIRO) and laser and (cylindrical near3 lens) and (adjust\$4 or alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 18:24
S10 6	1	S104 and laser and (cylindrical near3 lens) and (adjust\$4 or alignment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 18:25
S10 5	0	S104 and laser and (cylindrical near3 lens) and (adjust\$4 or alignment) and (convex near3 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/27 18:25

S95	5	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and (((adjust\$4 or alignment) near2 (section or region or device)) same (slot or aperture or space)) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 06:59
L3	6	((hous\$4 or pack\$4 or body) and ((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and (((adjust\$4 or alignment) near2 (section or region or device or apparatus)) same (slot or aperture or space)) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 07:00
L5	12	("20040136796" "5522683" "5593606" "5741096" "5784792" "5835517" "5835519" "6023071" "6301997" "6375395" "6587184" "6763597").PN. OR ("6945741").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/28 07:28
S10 4	38	((NISHIZAKI near2 MASASUKE) or (HOSOMI near2 YUKIHIRO))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 07:45
L6	0	((NISHIZAKI near2 MASASUKE) or (HOSOMI near2 YUKIHIRO))	US-PGPUB	AND	ON	2005/10/28 07:45
L8	8	((("6,035,540") or ("5539,990") or ("6,202,313") or ("6,618,950")).PN. or (2003/000004).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 07:50
L7	52	((Wu near2 Sheng near2 Ching) or (Lin near2 Ching near2 Hui) or (Huang near2 Chao near1 Chi))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 08:04
L10	3	9 and slot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 08:06
L11	0	("92203634").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 08:12
L12	9	((Wu near2 Sheng near2 Ching) or (Lin near2 Ching near2 Hui) or (Huang near2 Chao near1 Chi)) and ((adjust\$4 or alignment) SAME laser) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 08:15
L13	8	((Wu near2 Sheng near2 Ching) or (Lin near2 Ching near2 Hui) or (Huang near2 Chao near1 Chi)) and ((adjust\$4 or alignment) WITH laser) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:19
L14	1	((Wu near2 Sheng near2 Ching) or (Lin near2 Ching near2 Hui) or (Huang near2 Chao near1 Chi)) and ((adjust\$4 or alignment) WITH laser same space) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:20

L15	2	((Wu near2 Sheng near2 Ching) or (Lin near2 Ching near2 Hui) or (Huang near2 Chao near1 Chi)) and ((adjust\$4 or alignment) SAME laser same space) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:21
L16	4002	slot and ((adjust\$4 or alignment) SAME laser) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:22
L17	253	(slot with (adjust\$4 or alignment) SAME laser) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:23
L19	32	(slot with (adjust\$4 or alignment) SAME laser) and (cylindrical near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:24
L18	6	(slot with (adjust\$4 or alignment) SAME laser) and (cylindrical near2 lens) and (convex near2 lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:26
L20	183	(slot with (adjust\$4 or alignment) SAME laser) and ((adjust\$4 or alignment) SAME lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:27
L21	119	(slot with (adjust\$4 or alignment) SAME laser) and ((adjust\$4 or alignment) with lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:33
L22	12	(slot with (adjust\$4 or alignment) SAME laser) and ((adjust\$4 or alignment) with (cylindrical near2 lens))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 09:34
L23	20	("4048050" "4498737" "4661959" "4701929" "4753510" "4769824" "4776663" "4808789" "4918702" "4926433" "4986621" "5200965").PN. OR ("5381438").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/10/28 09:38
L9	9	((Wu near2 Sheng near2 Ching) or (Lin near2 Ching near2 Hui) or (Huang near2 Chao near1 Chi)) and ((adjust\$4 or alignment) and laser) and lens	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 10:54
L4	8	((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and (((adjust\$4 or alignment) near2 (section or region or device or apparatus)) same (slot or aperture or space)) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 10:54
L25	2	((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt and screw) and (((adjust\$4 or alignment) near2 (section or region or device or apparatus)) with (slot or aperture or space or open\$3)) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 10:55

L27	190	((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 10:58
L26	17	((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt and screw) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 10:58
L24	6	((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt and screw) and (((adjust\$4 or alignment) near2 (section or region or device or apparatus)) same (slot or aperture or space or open\$3)) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 10:58
L28	18	((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and (((adjust\$4 or alignment) near2 (section or region or device or apparatus)) same (slot or aperture or space or open\$3)) and ((adjust\$4 or alignment) same lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 11:03
L29	18	((adjust\$4 or alignment) same laser) and (convex near2 lens) and (cylindrical near2 lens) and (bolt or screw) and (((adjust\$4 or alignment) near2 (section or region or device or apparatus)) same (slot or aperture or space or open\$3)) and ((adjust\$4 or alignment) with lens)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/10/28 11:46
L30	105	((("5376103") or ("5447521") or ("4343375") or ("4362221") or ("4378815") or ("4413849") or ("4582961") or ("4628928") or ("4629605") or ("4771772") or ("4876072") or ("4916596") or ("5223345") or ("5231238") or ("5275191") or ("5352399") or ("5393262") or ("5397875") or ("5413556") or ("5453785") or ("5500789") or ("5540419") or ("5580031") or ("5586195") or ("5672025") or ("5672884") or ("5683269") or ("5697572") or ("5880655") or ("5910070") or ("6058972") or ("6058972") or ("6062089") or ("6084691") or ("6166889") or ("4262528") or ("4263072") or ("4270882") or ("4276807") or ("4290265") or ("4291910") or ("4306375") or ("4308606") or ("4328524") or ("4328685") or ("4342074") or ("4352008") or ("4354425") or ("4366960") or ("4386422).pn.")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 11:48